KIDNEY INTERNATIONAL

Volume 42, Number 1, July 1992

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

EDITORIAL REVIEW

Acute cyclosporine nephrotoxicity—Prototype for a renal membrane signalling disorder. *Karl L. Skorecki, William P. Rutledge, and Robert W. Schrier* 1

LABORATORY INVESTIGATION

G-protein stimulation inhibits amiloride-sensitive Na/H exchange independently of cyclic AMP. *Nigel J. Brunskill, Jeremiah J. Morrissey, and Saulo Klahr* 11

Endothelin-1 stimulates the Na^+/H^+ Na^+/HCO_3^- transporters in rabbit renal cortex. *Somchai Eiam-Ong, Shirley A. Hilden, Andrew J. King, Conrado A. Johns, and Nicolaos E. Madias* .. 18

Immunocytochemical study of glomerular premeability to anionic, neutral and cationic albumins. *Lucian Ghitescu, Michel Desjardins, and Möise Bendayan* 25

Regulation of inositol transport by glucose and protein kinase C in mesangial cells. *Nicolas J. Guzman and Fulton T. Crews* 33

Mechanism of glycine protection in hypoxic injury: Analogies with glycine receptor. *Samuel Heyman, Katherine Spokes, Seymour Rosen, and Franklin H. Epstein* 41

Blood pressure-independent effect of angiotensin inhibition on vascular lesions of chronic renal failure. *Yoshihiko Kakinuma, Tetsuya Kawamura, Teresa Bills, Toshimasa Yoshioka, Iekuni Ichikawa, and Agnes Fogo* 46

Multiple patterns of 11β-hydroxysteroid dehydrogenase catalytic activity along the mammalian nephron. *Sabine Kenouch, Nathalie Coutry, Nicolette Farman, and Jean-Pierre Bonvalet* 56

Permeability of dialyzer membranes to TNFα-inducing substances derived from water bacteria. *Gerhard Lonnemann, Tim C. Behme, Benedikt Lenzner, Juergen Floege, Matthias Schulze, Clark K. Colton, Karl M. Koch, and Stanley Shaldon* 61

Increased oxygen radical and eicosanoid formation in immune-mediated mesangial cell injury. *Gerhard P. Oberle, J. Niemeyer, F. Thaiss, W. Schoeppe, and R.A.K. Stahl* 69

Renal receptors and effects of atrial natriuretic factor in compensatory renal hypertrophy. *Deborah A. Price, Juraj Okolicany, and Thomas Maack* 75

Different mutations in the COL4A5 collagen gene in two patients with different features of Alport syndrome. *Hubert J.M. Smeets, Jos J. Melenhorst, Henny H. Lemmink, Cock H. Schröder, Marcel R. Nelen, Jing Zhou, Sirkka L. Hostikka, Karl Tryggvason, Hans-Hilger Ropers, Maaike C.E. Jansweijer, Leo A.H. Monnens, Han G. Brunner, and Bernard A. van Oost* 83

Ureteral obstruction decreases renal prepro-epidermal growth factor and Tamm-Horsfall expression. *Shimon Storch, Subodh Saggi, Judith Megyesi, Peter M. Price, and Robert Safirstein* ... 89

CLINICAL INVESTIGATION

IL-1 receptor antagonist inhibits monocyte chemotactic peptide 1 generation by human mesangial cells. *Zarin Brown, Robert M. Strieter, Guy H. Neild, Robert C. Thompson, Steven L. Kunkel, and John Westwick* 95

The peritoneal equilibration test in children. *Denis F. Geary, Elizabeth A. Harvey, James H. MacMillan, Yolanda Goodman, Margaret Scott, and J. Williamson Balfe* 102

Glomerular hemodynamics and eicosanoid synthesis in a rat model of IGA nephropathy. *Loreto Gesualdo, Steven N. Emancipator, Claudia Kesselheim, and Michael E. Lamm* 106

Contents continued on next page

KIDNEY INTERNATIONAL

Volume 42, Number 1, July 1992

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

EDITORIAL REVIEW

Acute cyclosporine nephrotoxicity—Prototype for a renal membrane signalling disorder. *Karl L. Skorecki, William P. Rutledge, and Robert W. Schrier* 1

LABORATORY INVESTIGATION

G-protein stimulation inhibits amiloride-sensitive Na/H exchange independently of cyclic AMP. *Nigel J. Brunskill, Jeremiah J. Morrissey, and Saulo Klahr* 11

Endothelin-1 stimulates the Na^+/H^+ Na^+/HCO_3^- transporters in rabbit renal cortex. *Somchai Eiam-Ong, Shirley A. Hilden, Andrew J. King, Conrado A. Johns, and Nicolaos E. Madias* .. 18

Immunocytochemical study of glomerular premeability to anionic, neutral and cationic albumins. *Lucian Ghitescu, Michel Desjardins, and Möise Bendayan* 25

Regulation of inositol transport by glucose and protein kinase C in mesangial cells. *Nicolas J. Guzman and Fulton T. Crews* 33

Mechanism of glycine protection in hypoxic injury: Analogies with glycine receptor. *Samuel Heyman, Katherine Spokes, Seymour Rosen, and Franklin H. Epstein* 41

Blood pressure-independent effect of angiotensin inhibition on vascular lesions of chronic renal failure. *Yoshihiko Kakinuma, Tetsuya Kawamura, Teresa Bills, Toshimasa Yoshioka, Iekuni Ichikawa, and Agnes Fogo* 46

Multiple patterns of 11β-hydroxysteroid dehydrogenase catalytic activity along the mammalian nephron. *Sabine Kenouch, Nathalie Coutry, Nicolette Farman, and Jean-Pierre Bonvalet* 56

Permeability of dialyzer membranes to TNFα-inducing substances derived from water bacteria. *Gerhard Lonnemann, Tim C. Behme, Benedikt Lenzner, Juergen Floege, Matthias Schulze, Clark K. Colton, Karl M. Koch, and Stanley Shaldon* 61

Increased oxygen radical and eicosanoid formation in immune-mediated mesangial cell injury. *Gerhard P. Oberle, J. Niemeyer, F. Thaiss, W. Schoeppe, and R.A.K. Stahl* 69

Renal receptors and effects of atrial natriuretic factor in compensatory renal hypertrophy. *Deborah A. Price, Juraj Okolicany, and Thomas Maack* 75

Different mutations in the COL4A5 collagen gene in two patients with different features of Alport syndrome. *Hubert J.M. Smeets, Jos J. Melenhorst, Henny H. Lemmink, Cock H. Schröder, Marcel R. Nelen, Jing Zhou, Sirkka L. Hostikka, Karl Tryggvason, Hans-Hilger Ropers, Maaike C.E. Jansweijer, Leo A.H. Monnens, Han G. Brunner, and Bernard A. van Oost* 83

Ureteral obstruction decreases renal prepro-epidermal growth factor and Tamm-Horsfall expression. *Shimon Storch, Subodh Saggi, Judith Megyesi, Peter M. Price, and Robert Safirstein* ... 89

CLINICAL INVESTIGATION

IL-1 receptor antagonist inhibits monocyte chemotactic peptide 1 generation by human mesangial cells. *Zarin Brown, Robert M. Strieter, Guy H. Neild, Robert C. Thompson, Steven L. Kunkel, and John Westwick* 95

The peritoneal equilibration test in children. *Denis F. Geary, Elizabeth A. Harvey, James H. MacMillan, Yolanda Goodman, Margaret Scott, and J. Williamson Balfe* 102

Glomerular hemodynamics and eicosanoid synthesis in a rat model of IGA nephropathy. *Loreto Gesualdo, Steven N. Emancipator, Claudia Kesselheim, and Michael E. Lamm* 106

Contents continued on next page

Distribution of the α1 and α2 chains of collagen IV and of collagens V and VI in Alport syndrome. *Clifford E. Kashtan and Youngki Kim* 115

Glomerulonephritis in chronic lymphocytic leukemia and related B-cell lymphomas. *Bruno Moulin, Pierre M. Ronco, Beatrice Mougenot, Arnaud Francois, Jean-Paul Fillastre, and Francoise Mignon* 127

Glomerular damage after uninephrectomy in young rats. I. Hypertrophy and distortion of capillary architecture. *Michio Nagata, Karl Scharer, and Wilhelm Kriz* 136

Glomerular damage after uninephrectomy in young rats. II. Mechanical stress on podocytes as a pathway to sclerosis. *Michio Nagata and Wilhelm Kriz* 148

Dialysis disequilibrium syndrome (DDS) in the rat: Role of the "reverse urea effect". *Stephen M. Silver, Joseph A. DeSimone, Jr., Denise A. Smith, and Richard H. Sterns* 161

Effect of insulin therapy on renal hemodynamic response to amino acids and renal hypertrophy in non-insulin-dependent diabetes. *Katherine R. Tuttle and J. Lewis Bruton* 167

Measurement of glomerular filtration rate in ICU patients using ^{99m}Tc-DTPA and inulin. *William W. Wharton, III, Jill L. Sondeen, Michael McBiles, Stephen E. Gradwohl, Charles E. Wade, David P. Ciceri, Heinz G. Lehmann, Richard E. Stotler, Thomas R. Henderson, W. Roscoe Whitaker, and Jill S. Lindberg* 174

RAPID COMMUNICATION

The pathogenesis of Alport syndrome involves type IV collagen molecules containing α3(IV) chain: Evidence from anti-GBM nephritis after renal transplantation. *Billy G. Hudson, Raghuram Kalluri, Sripad Gunwar, Manfred Weber, Fernando Ballester, Julie K. Hudson, Milton E. Noelken, Michael Sarras, Walter R. Richardson, Juan Saus, Dale R. Abrahamson, Alan D. Glick, Michael A. Haralson, J. Harold Helderman, William J. Stone, and Harry R. Jacobson* . 179

NEPHROLOGY FORUM

Stimulating growth in uremic children. *Richard N. Fine* 188

ABSTRACTS

23rd meeting of the Spanish Society of Nephrology 198

Société de Néphrologie 228

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 240

Awards and Grants 243

Instructions for Authors on pages xxi–xxiii

KIDNEY INTERNATIONAL

Volume 42, Number 2, August 1992

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

INVITED CONTRIBUTION

The Jerusalem Congress and its Scientific Program. *Roscoe R. Robinson* 247

EDITORIAL REVIEW

The cellular action of aldosterone in target epithelia. *Christine P. Bastl and John P. Hayslett* ... 250

LABORATORY INVESTIGATION

Dietary fatty acid modulates glomerular atrial natriuretic peptide receptor. *Midori Awazu, Aida Yared, Larry L. Swift, Richard L. Hoover, and Lekuni Ichikawa* 265

Effect of K depletion on renal K and Rb excretion: Evidence for activation of K reabsorption. *Franz-X. Beck, Gerhard Giebisch, and Klaus Thurau* 272

Cultured mesangial cells from autoimmune MRL-*lpr* mice have decreased secreted and surface M-CSF. *Daniel C. Brennan, Anthony M. Jevnikar, Roy D. Bloom, William H. Brissette, Gary G. Singer, and Vicki Rubin Kelley* 279

Glycosaminoglycans prevent morphological renal alterations and albuminuria in diabetic rats. *Giovanni Gambaro, Andrea O. Cavazzana, Pietro Luzi, Antonio Piccoli, Arturo Borsatti, Gaetano Crespaldi, Egidio Marchi, Anna P. Venturini, and Bruno Baggio* 285

Uninephrectomy enhances urolithiasis in ethylene glycol treated rats. *Ying Huei Lee, Wann Chu Huang, Luke S. Chang, Ming Tsun Chen, and Jong Khing Huang* 292

Altered membrane ionic permeability in a rat model of chronic renal failure. *Roger D. London, Michael S. Lipkowitz, and Ruth G. Abramson* 300

NaCl transport by Madin Darby canine kidney cyst epithelial cells. *William L. Macias, James A. McAteer, George A. Tanner, Alison L. Fritz, and William McD. Armstrong* 308

Hemodialysis related induction of interleukin-6 production by peripheral blood mononuclear cells. *Bruno Memoli, Carmelo Libetta, Teresa Rampino, Antonio Dal Canton, Giuseppe Conte, Giuseppe Scala, Maria R. Ruocco, and Vittorio E. Andreucci* 320

Tumor necrosis factor α increases antifibrinolytic activity of cultured human mesangial cells. *Quentin Meulders, Ci-Jiang He, Colette Adida, Marie-Noëlle Peraldi, Wolf-Dieter Schleuning, Jean-Daniel Sraer, and Eric Rondeau* 327

Possible mechanism of impaired calcium and vitamin D metabolism in nephrotic rats. *Masayasu Mizokuchi, Minoru Kubota, Yasuhiko Tomino, and Hikaru Koide* 335

Extrarenal cytokines modulate the glomerular response to IgA immune complexes. *Vincenzo Montinaro, Karen Hevey, Lucia Aventaggiato, Kimberly Fadden, Alfredo Esparza, Ann Chen, David S. Finbloom, and Abdalla Rifai* 341

Renal effect of anti-hypertensive drugs depends on sodium diet in the excision remnant kidney model. *Fabiola Terzi, Hélène Beaufils, Denise Laouari, Martine Burtin, and Claire Kleinknecht.* 354

Synthesis of renin by tubulocystic epithelium in autosomal-dominant polycystic kidney disease. *Vicente Torres, Kathleen A. Donovan, Gloria Scicli, Keith E. Holley, Stephen N. Thibodeau, Oscar A. Carretero, Tadashi Inagami, James A. McAteer, and Christopher M. Johnson* 364

Binding of serum immunoglobulins to collagens in IgA nephropathy and HIV infection. *A. Warmold L. van den Wall Bake, Katharine A. Kirk, Renate E. Gay, Lech M. Switalski, Bruce A. Julian, Susan Jackson, Steffan Gay, and Jiri Mestecky* 374

Contents continued on next page

IL-1α stimulated TNFα production by cultured human proximal tubular epithelial cells. *Benito A. Yard, Mohamed R. Daha, Mariska Kooymans-Couthino, Jan A. Bruijn, Marion E. Paape, E. Schrama, Leendert A. van Es, and Fokko J. van der Woude* 383

CLINICAL INVESTIGATION

Developmental patterns of PDGF B-chain, PDGF-receptor, and α-actin expression in human glomerulogenesis. *Charles E. Alpers, Ronald A. Seifert, Kelly L. Hudkins, Richard J. Johnson, and Daniel F. Bowen-Pope* 390

EDRF modulates renal hemodynamics during unilateral ureteral obstruction in the rat. *Robert L. Chevalier, Barbara A. Thornhill, and R. Ariel Gomez* 400

A comparison of the responses to recombinant human erythropoietin in normal and uremic subjects. *Joseph W. Eschbach, N. Rebecca Haley, Joan C. Egrie, and John W. Adamson* 407

Angiotensin II does not increase renal prostaglandin E_2 in response to pressure reduction. *Masahito Imanishi, Satoshi Akabane, Minoru Kawamura, Yohkazu Matsushima, Morio Kuramochi, and Teruo Omae* 417

Plasma level of lipoprotein Lp(a) is high in predialysis or hemodialysis, but not in CAPD patients. *Abdelmajid Kandoussi, Claude Cachera, Dominique Pagniez, Michel Dracon, Jean C. Fruchart, and Albert Tacquet* 424

A longitudinal, five year survey of urea kinetic parameters in CAPD patients. *Norbert H. Lameire, Raymond Vanholder, Denise Veyt, Marie-Christine Lambert, and Severin Ringoir* 426

Prazosin attentuates the natriuretic response to atrial natriuretic factor in man. *Chim C. Lang, Anna-Maria J. Choy, David J. K. Balfour, and Allan D. Struthers* 433

Effect of dialyzer geometry during hemodialysis with cuprophane membranes. *J. E. Taylor, M. McLaren, R. A. Mactier, I. S. Henderson, W. K. Stewart, and J. J. F. Belch* 442

Continuous arteriovenous hemodialysis: Effect of dialyzer geometry. *Daniel A. Yohay, David W. Butterly, Steve J.Schwab, and L. Darryl Quarles* 448

Long-term comparison between captopril and nifedipine in the progression of renal insufficiency. *Pietro Zucchelli, Alessandro Zuccalà, Marcello Borghi, Maurizio Fusaroli, Mauro Sasdelli, Carmine Stallone, Giovanni Sanna, and Rossells Gaggi* 452

TECHNICAL NOTE

Use of a microwave oven in the flurometric micro-inulin determination. *Remmert de Roose, Peter Boer, René Fransen, Walther H. Boer, and Hein A. Koomans* 459

NEPHROLOGY FORUM

ACE inhibitors in renal disease. *Hans R. Brunner* 463

RAPID COMMUNICATIONS

Chemoattractants provoke monocyte adhesion to human mesangial cells and mesangial cell injury. *Hugh R. Brady, Mark D. Denton, Wladimiro Jimenez Shoichiro Takata, Deborah Palliser and Barry M. Brenner* 480

ABSTRACT

The Third Congress of Chinese Society of Nephrology 488

INTERNATIONAL SOCIETY OF NEPHROLOGY

Scientific Program for the 1993 ISN Congress 511

Meetings 516

Awards and Grants 521

Instructions for Authors on page xxx

KIDNEY INTERNATIONAL

Volume 42, Number 3, September 1992

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

INVITED CONTRIBUTION

Forefronts in Nephrology: Summary of the Newer Aspects of Renal Cell Injury. *Mayer Brezis* . 523

EDITORIAL REVIEW

Adequacy of dialysis: A critical analysis. *Raymond C. Vanholder and Severin M. Ringoir* 540

LABORATORY INVESTIGATION

Cytokine regulation of adenylate cyclase activity in LLC-PK_1 cells. *Robert J. Anderson and Ruth Breckon* 559

Glomerular hemodynamics and hormonal evaluation during starvation in rats. *Mirian A. Boim, Horacio Ajzen, Oswaldo L. Ramos, and Nestor Schor* 567

Altered glomerular extracellular matrix synthesis in experimental membranous nephropathy. *Jurgen Floege, Richard J. Johnson, Katherine Gordon, Ashio Yoshimura, Caryl Campbell, Luisa Iruela-Arispe, Charles E. Alpers, and William G. Couser* 573

Metabolic effects of 4-pentenoate on isolated dog kidney tubules. *André Gougoux, Nathalie Zan, Danielle Dansereau, and Patrick Vinay* 586

Influence of ammonia and pH on protein and amino acid metabolism in LLC-PK_1 cells. *Claudine T. Jurkovitz, Brian K. England, Ronald G. Ebb, and William E. Mitch* 595

Decreased O_2 consumption by PMNL from humans and rats with CRF: Role of secondary hyperparathyroidism. *Maciej Kiersztejn, Miroslaw Smogorzewski, Prasert Thanakitcharu, George Z. Fadda, and Shaul G. Massry* 602

Mild renal ischemia activates primed neutrophils to cause acute renal failure. *Stuart L. Linas, Dennis Whittenburg, Polly E. Parsons, and John E. Repine* 610

Ontogeny of aromatic L-amino acid decarboxylase-containing tubule cells in rat kidney. *Björn Meister, Gabriel Fried, Hans Holgert, Anita Aperia, and Thomas Hökfelt* 617

A cell-type specific ganglioside of glomerular podocytes in rat kidney: An O-acetylated GD3. *Jukka Reivinen, Harry Holthöfer, and Aaro Miettinen* 624

Renal function after release of ureteral obstruction: Role of endothelin and the renal artery endothelium. *Alvaro A. Reyes and Saulo Klahr* 632

A new method to localize active renin in tissues by autoradiography: Application to dog kidney. *Keifu Song, Jialong Zhuo, Siew Yeen Chai, and Frederick A.O. Mendelsohn* 639

High glucose-induced proliferation in mesangial cells is reversed by autocrine TGF-β. *Gunter Wolf, Kumar Sharma, Ying Chen, Mark Ericksen, and Fuad N. Ziyadeh* 647

CLINICAL INVESTIGATION

Outcome of renal transplantation in children less than two years of age. *David M. Briscoe, Melanie S. Kim, Craig Lillehei, Angelo J. Eraklis, Raphael H. Levey, and William E. Harmon* 657

Plasma tumor necrosis factor soluble receptors in chronic renal failure. *Manfred Brockhaus, Yaacov Bar-Khayim, Swietlana Gurwicz, Asher Frensdorff, and Nurit Haran* 663

Recombinant human erythropoietin treatment improves platelet function in uremic patients. *Aleix Cases, Gines Escolar, Juan Carlos Reverter, Antonio Ordinas, Jose Lopez-Pedret, Luis Revert, and Ricardo Castillo* 668

Contents continued on next page

Role of inhibition of atrial natriuretic factor release in the down-regulation of salt excretion. *Giuseppe Conte, Giulio Romano, Vincenzo Sepe, Luca De Nicola, Massimo Sabbatini, Domenico Russo, Bruno Memoli, Biagio Ungaro, Giorgio Fuiano, Alfredo Caglioti, and Antonio Dal Canton* 673

Uremic serum effects on peripheral blood mononuclear cell and purified T lymphocyte responses. *Donato Donati, Dimitrios Degiannis, Jana Raskova, and Karel Raska, Jr* 681

Abnormal cytoplasmic pH regulation during activation in uremic neutrophils. *Andrew P. Haynes, Ian Daniels, Christine Porter, John Fletcher, and Anthony G. Morgan* 690

A monoclonal antibody (1G10) recognizes a novel human mesangial antigen. *Shoji Kagami, Kaname Okada, Mamoru Funai, Katsuyuki Matui, Takashi Oite, Hiroshi Kawachi, Fujio Shimizu, and Yasuhiro Kuroda* 700

Differential effects of calorie restriction on glomeruli and tubules of the remnant kidney. *Shuzo Kobayashi and Manjeri Venkatachalam* 710

Role of the venous system in hemodynamics during ultrafiltration and bicarbonate dialysis. *Jeroen P. Kooman, Ulrich Gladziwa, George Böcker, Luc M.A.B. van Bortel, Johannes P. van Hooff, and Karel M.L. Leunissen* 718

Chronic respiratory alkalosis induces renal PTH-resistance, hyperphosphatemia and hypocalcemia in humans. *Reto Krapf, Philippe Jaeger, and Henry N. Hulter,* with the technical assistance of C. Fehlman and R. Takkinen 727

Role of α1-proteinase inhibitor in restraining peritoneal inflammation in CAPD patients. *Filippo Mariano, Ciro Tetta, Giuseppe Montrucchio, Pier Luigi Cavalli, and Giovanni Camussi* 735

Role of pathology indices in the management of severe lupus glomerulonephritis. *Melvin M. Schwartz, Shu-Ping Lan, Jay Bernstein, Gary S. Hill, Keith Holley, Edmund J. Lewis, and The Lupus Nephritis Collaborative Study Group* 743

Expression of insulin-like growth factor binding protein-1 mRNA in human fetal kidney. *Anne-Maria Suikkari, Ilmo Leivo, Meerit Kämäräinen, Harry Holthöfer, Markku Seppälä, Mervi Julkunen, and Riita Koistinen* 749

Up-regulated MHC-class II expression and γ-IFN and soluble IL-2R in lupus nephritis. *Hitoshi Yokoyama, Toshikazu Takabatake, Masayoshi Takaeda, Takashi Wada, Takero Naito, Kenzo Ikeda, Satoshi Goshima, Kazuya Takasawa, Naohisa Tomosugi, Ken-ichi Kobayashi, and Hiroshi Kida* 755

TECHNICAL NOTE

A PCR method for the quantitative assessment of mRNA for laminin A, B1, and B2 chains. *Satoshi Horikoshi, Katsunori Fukuda, Patricio E. Ray, Makoto Sawada, Leslie A. Bruggeman, and Paul E. Klotman* 764

RAPID COMMUNICATION

Endothelin receptor antagonism is protective in in vivo acute cyclosporine toxicity. *Agnes Fogo, Samuel E. Hellings, Tadashi Inagami, and Valentina Kon* 770

A mechanism of glycine and alanine cytoprotective action: Stimulation of stress-induced HSP70 mRNA. *Itzhak Nissim, Mattie Hardy, Jeanette Pleasure, Ilana Nissim, and Beatrice States* ... 775

NEPHROLOGY FORUM

Molecular genetics of hereditary nephritis. *Stephen T. Reeders* 783

ABSTRACTS

Dutch Society of Nephrology 793

Swiss Society of Nephrology 799

HISTORICAL ARCHIVES

Jean Hamburger 1909–1992. *Gabriel Richet* 810

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 813
Awards and Grants 823
Erratum 824

Instructions for Authors on page xxvi

KIDNEY INTERNATIONAL

Volume 42, Number 4, October 1992

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

EDITORIAL REVIEW

Membrane fluidity and transport properties in epithelia. *Christian Le Grimellec, Gérard Friedlander, El Hossain El Yandouzi, Philippe Zlatkine, and Marie-Cécile Giocondi* 825

LABORATORY INVESTIGATION

Effects of dietary restriction and oil type on the early progression of murine polycystic kidney disease. *Harold M. Aukema, Malcolm R. Ogborn, Koji Tomobe, Hisahide Takahashi, Tsutomu Hibino, and Bruce J. Holub* 837

Effect of loop diuretics on organic osmolytes and cell electrolytes in the renal outer medulla. *Franz-X. Beck, Masayoshi Sone, Adolf Dörge, and Klaus Thurau* 843

Autoreactive kidney-infiltrating T-cell clones in murine lupus nephritis. *Cristina Díaz Gallo, Anthony M. Jevnikar, Daniel C. Brennan, Sandrine Florquin, Alvaro Pacheco-Silva, and Vicki Rubin Kelley* 851

Angiotensin II stimulates endothelin-1 secretion in cultured rat mesangial cells. *Masakazu Kohno, Takeshi Horio, Miwako Ikeda, Koji Yokokawa, Toshiki Fukui, Kenichi Yasunari, Naotsugu Kurihara, and Tadanao Takeda, with the technical assistance of Machiko Johchi* 860

Failure of atrial natriuretic peptide to induce natriuresis in aortocaval fistula dogs. *Ira W. Reiser, Shyan-Yih Chou, and Jerome G. Porush* 867

Early glycosilation products induce glomerular hyperfiltration in normal rats. *Massimo Sabbatini, Gennaro Sansone, Francesco Uccello, Antonella Giliberti, Giuseppe Conte, and Vittorio E. Andreucci* 875

Analysis of complement C4 loci in Caucasoids and Japanese with idiopathic membranous nephropathy. *Steven H. Sacks, Shinsuke Nomura, Catherine Warner, Setsuya Naito, Satoru Ogahara, Robert Vaughan, and David Briggs* 882

Localization of phosphoinositide-specific phospholipase C-α in porcine kidney. *Hideki Wakui, Atsushi Komatsuda, Takako Ishino, Hirokazu Imai, Ryoji Kobayashi, Yasushi Nakamoto, and Akira B. Miura* 888

Microfilament disruption occurs very early in ischemic proximal tubule cell injury. *Paul S. Kellerman and Ronald T. Bogusky* 896

Vascular cell adhesion molecule-1 (VCAM-1) expression in murine lupus nephritis. *Rudolf P. Wuthrich, with the technical assistance of Tracey L. Snyder* 903

CLINICAL INVESTIGATION

Demonstration of plasma proteinase inhibitors in β_2-microglobulin amyloid deposits. *Josep M. Campistol, Tsuranobu Shirahama, Carmela R. Abraham, Orville G. Rodgers, Manel Solé, Alan S. Cohen, and Martha Skinner* 915

Glomerular mesangial cells and inflammatory macrophages ingest neutrophils undergoing apoptosis. *John Savill, Jennifer Smith, Catherine Sarraf, Yi Ren, Frances Abbott, and Andrew Rees* .. 924

Thromboxane in the pathogenesis of glomerular injury in diabetes. *Patricia A. Craven, Mona F. Melhem, and Frederick R. DeRubertis* 937

Peritoneal defense in continuous ambulatory versus continuous cyclic peritoneal dialysis. *Carola W.H. de Fijter, Henri A. Verbrugh, Liem P. Oe, Edith D.J. Peters, Jan van der Meulen, Ab J.M. Donker, and Jan Verhoef* 947

Contents continued on next page

Interleukin-8 and polymorphoneutrophil leucocyte activation in hemolytic uremic syndrome of childhood. *Margaret M. Fitzpatrick, Vanita Shah, Richard S. Trompeter, Michael J. Dillon, and T. Martin Barratt* 951

Renal handling of silicon in normals and patients with renal insufficiency. *Hillel J. Gitelman, Frances Alderman, and Samuel J. Perry* 957

Predicting chronic renal insufficiency in idiopathic membranous glomerulonephritis. *York Pei, Daniel Cattran, and Celia Greenwood*..... 960

Risk of peritonitis and technique failure by CAPD connection technique: A national study. *Friedrich K. Port, Philip J. Held, Karl D. Nolph, Marc N. Turenne, and Robert A. Wolfe*..... 967

Effects of oxygen breathing and erythropoietin on hypoxic vasodilation in uremic anemia. *Simon D. Roger, Marianne S. Grasty, Laurence R.I. Baker, and Anthony E.G. Raine*..... 975

Methylprednisolone dosage effects on peripheral lymphocyte subpopulations and eicosanoid synthesis. *Stefano Rota, Alessandro Rambaldi, Flavio Gaspari, Marina Noris, Erica Daina, Ariela Benigni, Annalisa Perna, Roberta Donadelli, Giuseppe Remuzzi, and Silvio Garattini*..... 981

Using USRDS generated mortality tables to compare local ESRD mortality rates to national rates. *Robert A. Wolfe, Daniel S. Gaylin, Friedrich K. Port, Philip J. Held, and Corbin L. Wood*..... 991

TECHNICAL NOTE

Analysis and isolation of renal tubular cells by flow cytometry. *Timothy G. Hammond, with the technical assistance of Rebecca Majewski*..... 997

Modified plasma clearance technique using nonradioactive iothalamate for measuring GFR. *Yoshitaka Isaka, Yoshihiro Fujiwara, Shigeo Yamamoto, Satoshi Ochi, SungHyo Shin, Toru Inoue, Kunio Tagawa, Takenobu Kamada, and Naohiko Ueda* 1006

Polymerase chain reaction detection of cytomegalovirus genome in renal biopsies. *Susan Kadereit, Susan Michelson, Beatrice Mougenot, Philippe Thibault, Pierre J. Verroust, Françoise Mignon, Ronald Colimon, and Pierre M. Ronco*..... 1012

RAPID COMMUNICATIONS

Expression of nitric oxide synthase in kidney macula densa cells. *Peter Mundel, Sebastian Bachmann, Michael Bader, Axel Fischer, Wolfgang Kummer, Bernd Mayer, and Wilhelm Kriz* . 1017

NEPHROLOGY FORUM

Bradykinin-mediated effects of ACE inhibition. *Irene Gavras*..... 1020

ABSTRACT

Australian and New Zealand Society of Nephrology 1030

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings..... 1054

Awards and Grants 1058

Instructions for Authors on page xxxvii

KIDNEY INTERNATIONAL

Volume 42, Supplement 38

"Frontiers in Renal Disease"

Monte Carlo

March 19–22, 1992

Table of contents

Introduction. *Lee W. Henderson and Claude Jacobs* S-1

TIME, ADEQUACY AND MORTALITY

Chairmen: *Claude Jacobs, Lee W. Henderson*

Profile of patients on RRT in Europe and death rates due to major causes of death groups. *Felix P. Brunner and Neville Selwood* on behalf of the EDTA Registration Committee S-4

The dose of hemodialysis according to dialysis prescription in Europe and the United States. *Philip J. Held, Christopher R. Blagg, David W. Liska, Friedrich K. Port, Raymond Hakim, and Nathan Levin* S-16

Race and diabetes as death risk predictors in hemodialysis patients. *Edmund G. Lowrie, Nancy L. Lew, and Wei H. Huang* S-22

Which comes first, Kt/V or PCR—Chicken or egg? *Robert M. Lindsay, Evelyn Spanner, R. Paul Heidenheim, Jeanne Marie LeFebvre, Anthony Hodsman, Jo Baird, and Marjory E.M. Allison* S-32

RENAL OSTEODYSTROPHY

Chairmen: *Eberhard Ritz, Eduardo Slatopolsky*

Disturbed calcium metabolism in renal failure—Pathogenesis and therapeutic strategies. *Eberhard Ritz, Stephen Matthias, Angelika Seidel, Helmut Reichel, Andras Szabo, and Walter H. Hörl* S-37

Effects of calcitriol and non-calcemic vitamin D analogs on secondary hyperparathyroidism. *Eduardo Slatopolsky, Michael Berkoben, Jacobo Kelber, Alex Brown, and James Delmez* ... S-43

Use of alkaline calcium salts as phosphate binder in uremic patients. *Albert Fournier, Philippe Morinière, Feliti Ben Hamida, Najeh El Esjer, Miled Shenovda, Az Ghazali, Mohamed Bouzernidj, Jean Michel Achard, and Pierre François Westeel* S-50

Risk of adynamic bone disease in dialyzed patients. *Hartmut H. Malluche and Marie-Claude Monier-Faugere* S-62

WHAT'S NEW IN HEMODIALYSIS

Chairmen: *Karl Koch, Severin Ringoir*

Interleukin-1 and tumor necrosis factor and their naturally occurring antagonists during hemodialysis. *Charles A. Dinarello* S-68

Dialysis related amyloidosis: A disease of chronic retention and inflammation? *Jürgen Floege, Jürgen Schäffer, Karl M. Koch, and Stanley Shaldon* S-78

Membrane selection and muscle protein catabolism. *Alberto Gutierrez, Anders Alvestrand, and Jonas Bergström* S-86

Polymorphonuclear cell function and infection in dialysis. *Raymond Vanholder and Severin Ringoir* S-91

Role of nitric oxide in hemodialysis hypotension. *Debbie Beasley and Barry M. Brenner* S-96

Contents continued on next page

PROGRESSION OF RENAL DISEASE

Chairmen: *Barry Brenner, Thomas Hostetter*

15-Lipoxygenase products as leukotriene antagonists: Therapeutic potential in glomerulonephritis. *Kamal F. Badr* S-101

Role of cellular metabolites in progressive renal injury. *Karl A. Nath, Abdulla K. Salahudeen, Edward C. Clark, Margaret K. Hostetter, and Thomas H. Hostetter* S-109

Clinical strategies for arresting progression of renal disease. *Piet M. ter Wee and Ab J.M. Donker* S-114

FUTURE PREDICTIONS REGARDING CURRENT CONTROVERSIES

Chairmen: *Giuseppe D'Amico, James Winchester*

Treatment of immunologically mediated glomerular disease. *Richard J. Glasscock* S-121

Natriuretic peptides and the kidney: Current concepts. *Mark E. Gunning and Barry M. Brenner* S-127

Is the aggressive management of hyperlipidemia in nephrotic syndrome mandatory? *William F. Keane, John V. St. Peter, and Bertram L. Kasiske* S-134

Role of rHuEPO for treatment of uremic anemia prior to end-stage renal disease. *Robert A.P. Koene and Leon A.M. Frenken*..... S-142

WHAT'S NEW IN PERITONEAL DIALYSIS

Chairmen: *Ram Gokal, Karl Nolph*

What's new in peritoneal dialysis—An overview. *Karl D. Nolph* S-148

Improved solutions for peritoneal dialysis: Physiological calcium solutions, osmotic agents and buffers. *Alastair J. Hutchison and Ram Gokal* S-153

Adequacy of CAPD: A quantitative approach. *Prakash Keshaviah* S-160

Nutritional aspects of peritoneal dialysis. *Bengt Lindholm and Jonas Bergström* S-165

TRANSPLANTATION

Chairmen: *John S. Najarian, Henri Kreis*

HLA matching effect on five-year graft survival and half-life in the cyclosporine era. *Yoko Mitsuishi and Paul I. Terasaki*..... S-172

How to deal with the hyperimmunized potential recipients. *Bernard M. Charpentier, Christian Hiesse, Fayçal Kriaa, Philippe Rousseau, Hossein Farahmand, Alain Bismuth, and Daniel Fries* S-176

Molecular immunology and immunopharmacology of allograft rejection. *Terry B. Strom* S-182

Antilymphocyte globulins in kidney transplantation. *Henri Kreis* S-188

Kidney transplantation in diabetic patients: The University of Minnesota experience. *Giacomo Basadonna, Arthur J. Matas, and John S. Najarian* S-193

New organ preservation solutions. *Geoffrey M. Collins and Winston N. Wicomb*..... S-197

GUEST LECTURE

The future of nephrology with special regard to advances in treatment. *John Stewart Cameron*..... S-203

KIDNEY INTERNATIONAL

Volume 42, Number 5, November 1992

Official Journal of the International Society of Nephrology

Le Journal Official de la Société Internationale de Néphrologie

Table of contents

EDITORIAL REVIEW

The nature of clinical trials in nephrology. *W. Kline Bolton* 1061

LABORATORY INVESTIGATION

Sodium-dependent phosphate transport in a rat kidney endosomal fraction. *Mohan I. Abraham, Gerhard Burckhardt, and Stephen A. Kempson* 1070

Reduced capillary density in the myocardium of uremic rats—A stereological study. *Kerstin Amann, Gabriele Wiest, Gisela Zimmer, Norbert Gretz, Eberhard Ritz, and Gerhard Mall* 1079

Insulin-responsive glucose transporter expression in renal microvessels and glomeruli. *Frank C. Brosius III, Josie P. Briggs, Roy G. Marcus, Mario Barac-Nieto, and Maureen J. Charron* 1086

Evidence for the presence of a K-dependent acidifying adenosine triphosphatase in the rabbit renal medulla. *Kevin A. Curran, Mitchell J. Hebert, Brian D. Cain, and Charles S. Wingo* 1093

Adhesion of rat glomerular epithelial cells to extracellular matrices: Role of β_1 integrins. *Andrey V. Cybulsky, Salvatore Carbonetto, Qingli Huang, Alison J. McTavish, and Marie-Danielle Cyr* 1099

Arginase is a major pathway of L-arginine metabolism in nephritic glomeruli. *Albertin Jansen, Simon Lewis, Victoria Cattell, and H. Terrence Cook* 1107

IGF-I binding and IGF-I mRNA expression in the post-ischemic regenerating rat kidney. *Göran L. Matejka and Eva Jennische* 1113

Procoagulant effect of the OKT3 monoclonal antibody: Involvement of tumor necrosis factor. *Olivier Pradier, Arnaud Marchant, Daniel Abramowicz, Luc De Pauw, Pierre Vereerstraeten, Paul Kinnaert, Jean-Louis Vanherweghem, Paul Capel, and Michel Goldman* 1124

Development and characterization of rabbit proximal tubular epithelial cell lines. *Michael F. Romero, Janice G. Douglas, Richard L. Eckert, Ulrich Hopfer, and James W. Jacobberger* ... 1130

Hypoxia-mediated impaired differentiation by LLC-PK_1 cells: Evidence based on the protein kinase C profile. *Atul Sahai, Guanghui Xu, Rose S. Sandler, and Richard L. Tannen* 1145

Urodilatin, not nitroprusside, combined with dopamine reverses ischemic acute renal failure. *Sidney Shaw, Peter Weidmann, and Arthur Zimmermann* 1153

Glomerular hemodynamic alterations during acute hyperinsulinemia in normal and diabetic rats. *Bryan J. Tucker, Christen M. Anderson, R. Scott Thies, Rose C. Collins, and Roland C. Blantz* 1160

Mesangial cell killing by leukocytes: Role of leukocyte oxidants and proteolytic enzymes. *James Varani, Carla G. Taylor, Bruce Riser, Dale K. Shumaker, Kun-Y Yeh, Michael Dame, Douglas F. Gibbs, Robert F. Todd, III, Francis Dumler, Judith Bromberg, and Paul D. Killen* 1169

CLINICAL INVESTIGATION

Alport syndrome and diffuse leiomyomatosis: Deletions in the 5′ end of the COL4A5 collagen gene. *Corinne Antignac, Jing Zhou, Marek Sanak, Pierre Cochat, Bernard Roussel, Georges Deschênes, Françoise Gros, Bertrand Knebelmann, Marie-Claude Hors-Cayla, Karl Tryggvason, and Marie-Claire Gubler* 1178

Intracellular pH and Na^+/H^+ antiport activity of cultured skin fibroblasts from diabetics. *Joan E. Davies, Leong L. Ng, Allan Kofoed-Enevoldsen, Lai K. Li, Ken A. Earle, Roberto Trevisan, and GianCarlo Viberti* 1184

Contents continued on next page

Low-dose intravenous calcitriol treatment of secondary hyperparathyroidism in hemodialysis patients. *Maurizio Gallieni, Diego Brancaccio, Paolo Padovese, Davide Rolla, Pierluigi Bedani, Giuseppe Colantonio, Claudio Bronzieri, Bruno Bagni, and Gianluigi Tarolo, on behalf of the Italian Group for the study of Intravenous Calcitriol* 1191

On the probability that kidneys are different in autosomal dominant polycystic disease. *Kenneth D. Gardner, Jr., Janet S. Burnside, Betty J. Skipper, Suzanne K. Swan, William M. Bennett, Bret A. Connors, and Andrew P. Evan* 1199

Influence of the level of hydration on the renal response to a protein meal. *Aoumeur Hadj-Aïssa, Lise Bankir, Marc Fraysse, Daniel G. Bichet, Maurice Laville, Paul Zech, and Nicole Pozet* .. 1207

Ketodiet, physiological calcium intake and native vitamin D improve renal osteodystrophy. *Marie-Hélène Lafage, Christian Combe, Albert Fournier, and Michel Aparicio* 1217

Renal function 17 to 23 years after chelation therapy for childhood plumbism. *Donald I. Moel and Henrietta K. Sachs* 1226

Anaphylactoid reactions associated with reuse of hollow-fiber hemodialyzers and ACE inhibitors. *David A. Pegues, Consuelo M. Beck-Sague, Stan W. Woollen, Bonnie Greenspan, Susan M. Burns, Lee A. Bland, Matthew J. Arduino, Martin S. Favero, Robert C. Mackow, and William R. Jarvis* 1232

Decreased low-density lipoprotein receptor function and mRNA levels in lymphocytes from uremic patients. *Ronald J. Portman, Robert C. Scott, III, Dora D. Rogers, David S. Loose-Mitchell, Jacques M. Lemire, and Richard B. Weinberg* 1238

Severe defect in clearing postprandial chylomicron remnants in dialysis patients. *Moshe Weintraub, Amira Burstein, Toby Rassin, Meir Liron, Yehuda Ringel, Shaltiel Cabili, Miriam Blum, Gary Peer, and Adrian Iaina* 1247

IgA nephropathy in patients with congenital C9 deficiency. *Kazuo Yoshioka, Tsukasa Takemura, Norihisa Akano, Mitsuru Okada, Kazuro Yagi, Sunao Maki, Shinya Inai, Hironobu Akita, Yasushi Koitabashi, and Yasuo Takekoshi* 1253

Renal histology in polycystic kidney disease with incipient and advanced renal failure. *Martin Zeier, Peter Fehrenbach, Steffen Geberth, Klaus Möhring, Rüdiger Waldherr, and Eberhard Ritz* 1259

NEPHROLOGY FORUM

Glucose homeostasis and the kidney. *Horacio J. Adrogué* 1266

ABSTRACTS

45th Scientific Meeting of the Dutch Society of Nephrology 1283

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1288

Awards and Grants 1291

Abstract Form for the 1993 ISN Congress in Jerusalem 1293

Instructions for Authors on pages xxiii

KIDNEY INTERNATIONAL

Volume 42, Number 6, December 1992

Official Journal of the International Society of Nephrology

Le Journal Official de la Societe Internationale de Nephrologie

Table of contents

INVITED CONTRIBUTION

ISN Membership Survey. *Roscoe R. Robinson* 1295

EDITORIAL REVIEW

When is cortisol a mineralocorticoid? *John Clore, Anton Schoolwerth, and Charles O. Watlington* 1297

LABORATORY INVESTIGATION

Porins stimulate platelet activating factor biosynthesis by cultured human mesangial cells. *Giovanni Camussi, Luigi Biancone, Eugenio L. Iorio, Luigi Silvestro, Raffaella Da Col, Ciro Capasso, Fabio Rossano, Luigi Servillo, Ciro Balestrieri, and Maria A. Tufano* 1309

Autocrine secretion of transforming growth factor-β in cultured rat mesangial cells. *Shinya Kaname, Shunya Uchida, Etsuro Ogata, and Kiyoshi Kurokawa* 1319

A circulating inhibitor of the RBC membrane calcium pump in chronic renal failure. *Armando Lindner, Eve-Reine Gagne, Johanna Zingraff, Paul Jungers, Tilman B. Drüeke, Patrick Hannaert, and Ricardo Garay* 1328

Deletions of the COL4A5 gene in patients with Alport syndrome. *Kai-Olaf Netzer, Lutz Renders, Jing Zhou, Oliver Pullig, Karl Tryggvason, and Manfred Weber* 1336

Prostaglandins protect kidneys against ischemic and toxic injury by a cellular effect. *Mark S. Paller and J. Carlos Manivel, with the technical assistance of Marshalleen Patten and Marian Barry* .. 1345

Red cell sodium-proton exchange is increased in Dahl salt-sensitive hypertensive rats. *Roberto Pontremoli, Anda Spalvins, Alphonsa Menachery, Lucia Torielli, and Mitzy Canessa* 1355

Anti-DNA antibodies can bind to the glomerulus via two distinct mechanisms. *Rose-Marie Termaat, Karel J.M. Assmann, Henry B.P.M. Dijkman, Fons van Gompel, Ruud J.T. Smeenk, and Jo H.M. Berden* 1363

High resolution localization of angiotensin II receptors in rat renal medulla. *Jialong Zhuo, Daine Alcorn, Andrew M. Allen, and Frederick A.O. Mendelsohn* 1372

CLINICAL INVESTIGATION

Dyslipoproteinemia in diabetic renal failure. *Per-Ola Attman, Gudrun Nyberg, Tom William-Olsson, Carolyn Knight-Gibson, and Petar Alaupovic* 1381

Percutaneous transvenous angioplasty in the treatment of vascular access stenosis. *Gerald A. Beathard* 1390

Effect of intraperitoneal neostigmine on peritoneal transport characteristics in CAPD. *James Arthur Hasbargen, Barbara Jean Hasbargen, and Edwin Joseph Fortenbery* 1398

Clinical and pathologic features of fibrillary glomerulonephritis. *Samy S. Iskandar, Ronald J. Falk, and J. Charles Jennette* 1401

Success of kidney transplantation in oxalosis is unrelated to residual hepatic enzyme activity. *Avi Katz, Deborah Freese, Christopher J. Danpure, Jonathan I. Scheinman, and S. Michael Mauer.* 1408

Convection does not govern plasma to dialysate transport of protein. *John K. Leypoldt and Kim M. Blindauer* 1412

In vitro production of interleukin-1 receptor antagonist in chronic renal failure, CPAD and HD. *Brian J.G. Pereira, Debra D. Poutsiaka, Andrew J. King, James A. Strom, Geetha Narayan, Andrew S. Levey, and Charles A. Dinarello* 1419

Contents continued on next page

Nature and rate of vascular refilling during hemodialysis and ultrafiltration. *Daniel Schneditz, Johannes Roob, Martina Oswald, Helmuth Pogglitsch, Maximilian Moser, Thomas Kenner, and Ulrich Binswanger* 1425

Kinetics of ^{125}I-β_2-microglobulin turnover in dialyzed patients. *Claude Vincent, Jacques Chanard, Valérie Caudwell, Sylvie Lavaud, Tony Wong, and Jean-Pierre Revillard* 1434

Renal extraglomerular vascular immune deposits in IgA glomerulonephritis. *Nina Zidar, Dušan Ferluga, Metka Volavšek, Alenka Vizjak, Saša Luzar, and Rado Kveder* 1444

TECHNICAL NOTE

Cardiopulmonary recirculation during hemodialysis. *Daniel Schneditz, Allen M. Kaufman, Hans D. Polaschegg, Nathan W. Levin, and John T. Daugirdas* 1450

RAPID COMMUNICATIONS

Vascular permeability factor mRNA and protein expression in human kidney. *Lawrence F. Brown, Brygida Berse, Kathi Tognazzi, Eleanor J. Manseau, Livingston Van De Water, Donald R. Senger, Harold F. Dvorak, and Seymour Rosen* 1457

Glomerular matrix accumulation is linked to inhibition of the plasmin protease system. *Suguru Tomooka, Wayne A. Border, Bruce C. Marshall, and Nancy A. Noble* 1462

NEPHROLOGY FORUM

Abnormalities of systemic blood pressure in diabetes mellitus. *Artur B. Ribeiro* 1470

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1484

Awards and Grants 1486

Errata 1488

Abstract form; 1993 ISN Congress In Jerusalem 1489

Travel Awards form; 1993 ISN Congress 1491

ACKNOWLEDGMENT OF REFEREES 1493

INDEX TO VOLUME 42 1499

Instructions for Authors on page xxiv